IES Indoor Report
Photometric Filename:HCP-238401-5K.IES

HAVIT COMMERCIAL
http://www.havitcommercial.com.au
Tel：02 9381 8383
E-mail:sales@havitcommercial.com.au

Indoor Luminaire Photometric Data


Description Information

Luminary Name: HCP-238401-5K		Lum. Catelog:	Test ID: 001
Lamp Name:		Lamp Catelog: LED	Test Date: 2019/04/12
Manufacture:		Shld.Ang(°):	Test Machine:GON-2000
Test Lab: Volnic IES		Frequency(Hz):	Lamp CCT(K): Ra:
Lum.Size(W*L*H):0.075m*1.200m*0.000m		Lum.Area(m2):0.090	Lum.W(kg): 0.500
Test System: C, γ	Test Step: C=30.0 γ=1.0	Temp.(℃): 25	Humidity(%): 50.0


Character Parameter

Lamp Speciality Parameter	Luminaire Speciality Parameter	
Rated Flux(lm): 2845.730	Luminary Flux(lm): 2845.734	Field Angle(10%Imax): 201.4(°)
Rated Power(W):	Luminary Efficiency: 100.00%	Down Lumens&Percent: 2645.477lm 92.96%
Rated Voltage(V):	Luminary EER(lm/W): 71.880	Up Lumens&Percent: 200.257lm 7.04%
Tested Power(W): 39.590	Max.Candela(cd): 847.085	S/MH: C0_a180=1.287 C90_270=1.268
Lamps' Inside: 1	Max Cand@Ang.(°): C=0.0 γ=1.0	CIE Type: Semi-Direct
Tested Electrics(V,A,pf):240.0,0.175,0.942	Beam Angle(50%Imax): 119.6(°)	ErP Φuse(120°): 1929.398lm
Lamp Size(W*L*H):0.075m*1.200m*0.000m	Left=-59.2° ,Right=60.4°	IRF(%): 107.788

C Plane Distribution Diagram



C0 Space ISO Illuminance Curve




IES Indoor Report
Photometric Filename:HCP-238401-5K.IES


HAVIT COMMERCIAL
http://www.havitcommercial.com.au
Tel：02 9381 8383
E-mail:sales@havitcommercial.com.au

2D Plane Light Intensity Distribution Curve

Lum.Name: HCP-238401-5K	Lum.Catelog:	Test ID: 001
Lamp Name:	Lamp Catelog: LED	Test Lab: Volnic IES
Manufacture:	Test Machine:GON-2000	Test Date: 2019/04/12

C Plane Distribution Diagram





C Plane	[50%MaxAng.]	[10%MaxAng.]	Unit:cd
C0.0_180.0 :	119.6	201.4	
C90.0_270.0 :	115.2	162.8	


IES Indoor Report
Photometric Filename:HCP-238401-5K.IES

HAVIT COMMERCIAL
http://www.havitcommercial.com.au
Tel：02 9381 8383
E-mail:sales@havitcommercial.com.au

3D Light Intensity Distribution Modal

Lum.Name: HCP-238401-5K	Lum.Catelog:	Test ID: 001
Lamp Name:	Lamp Catelog: LED	Test Lab: Volnic IES
Manufacture:	Test Machine:GON-2000	Test Date: 2019/04/12

3D Light Intensity Distribution Modal



Curves: 3D Model Fixture Vert. HUD Hori. HUD

View Angles: Orient:0 Tilt:0 Roll:0 Spin:0

IES Indoor Report
Photometric Filename:HCP-238401-5K.IES

HAVIT COMMERCIAL
http://www.havitcommercial.com.au
Tel：02 9381 8383
E-mail:sales@havitcommercial.com.au

Zonal Flux Tabulation

Zone(γ)	Zone Flux (lm)	Sums Flux (lm)	Zone%Lamp	Sums%Lamp	Zone(γ)	Zone Flux (lm)	Sums Flux (lm)	Zone%Lamp	Sums%Lamp
0.0-1.0	0.80	0.80	0.03	0.03	47.0-48.0	44.27	1431.05	1.56	50.29
1.0-2.0	2.40	3.20	0.08	0.11	48.0-49.0	44.05	1475.09	1.55	51.84
2.0-3.0	3.99	7.19	0.14	0.25	49.0-50.0	43.77	1518.86	1.54	53.37
3.0-4.0	5.58	12.77	0.20	0.45	50.0-51.0	43.43	1562.29	1.53	54.90
4.0-5.0	7.16	19.93	0.25	0.70	51.0-52.0	43.04	1605.34	1.51	56.41
5.0-6.0	8.73	28.66	0.31	1.01	52.0-53.0	42.61	1647.95	1.50	57.91
6.0-7.0	10.30	38.96	0.36	1.37	53.0-54.0	42.13	1690.07	1.48	59.39
7.0-8.0	11.84	50.80	0.42	1.79	54.0-55.0	41.60	1731.67	1.46	60.85
8.0-9.0	13.38	64.18	0.47	2.26	55.0-56.0	41.03	1772.70	1.44	62.29
9.0-10.0	14.89	79.08	0.52	2.78	56.0-57.0	40.41	1813.11	1.42	63.71
10.0-11.0	16.39	95.47	0.58	3.35	57.0-58.0	39.74	1852.85	1.40	65.11
11.0-12.0	17.87	113.34	0.63	3.98	58.0-59.0	39.04	1891.89	1.37	66.48
12.0-13.0	19.32	132.66	0.68	4.66	59.0-60.0	38.31	1930.20	1.35	67.83
13.0-14.0	20.75	153.41	0.73	5.39	60.0-61.0	37.54	1967.73	1.32	69.15
14.0-15.0	22.15	175.56	0.78	6.17	61.0-62.0	36.73	2004.47	1.29	70.44
15.0-16.0	23.53	199.09	0.83	7.00	62.0-63.0	35.89	2040.36	1.26	71.70
16.0-17.0	24.87	223.96	0.87	7.87	63.0-64.0	35.02	2075.38	1.23	72.93
17.0-18.0	26.18	250.15	0.92	8.79	64.0-65.0	34.12	2109.50	1.20	74.13
18.0-19.0	27.46	277.61	0.97	9.76	65.0-66.0	33.20	2142.70	1.17	75.30
19.0-20.0	28.71	306.32	1.01	10.76	66.0-67.0	32.27	2174.97	1.13	76.43
20.0-21.0	29.92	336.24	1.05	11.82	67.0-68.0	31.31	2206.27	1.10	77.53
21.0-22.0	31.08	367.32	1.09	12.91	68.0-69.0	30.32	2236.60	1.07	78.59
22.0-23.0	32.21	399.53	1.13	14.04	69.0-70.0	29.32	2265.92	1.03	79.63
23.0-24.0	33.30	432.83	1.17	15.21	70.0-71.0	28.31	2294.23	0.99	80.62
24.0-25.0	34.35	467.18	1.21	16.42	71.0-72.0	27.30	2321.53	0.96	81.58
25.0-26.0	35.35	502.53	1.24	17.66	72.0-73.0	26.28	2347.81	0.92	82.50
26.0-27.0	36.30	538.84	1.28	18.93	73.0-74.0	25.26	2373.08	0.89	83.39
27.0-28.0	37.21	576.05	1.31	20.24	74.0-75.0	24.23	2397.31	0.85	84.24
28.0-29.0	38.07	614.12	1.34	21.58	75.0-76.0	23.20	2420.51	0.82	85.06
29.0-30.0	38.89	653.01	1.37	22.95	76.0-77.0	22.18	2442.69	0.78	85.84
30.0-31.0	39.65	692.65	1.39	24.34	77.0-78.0	21.17	2463.86	0.74	86.58
31.0-32.0	40.36	733.02	1.42	25.76	78.0-79.0	20.17	2484.02	0.71	87.29
32.0-33.0	41.02	774.04	1.44	27.20	79.0-80.0	19.17	2503.20	0.67	87.96
33.0-34.0	41.62	815.66	1.46	28.66	80.0-81.0	18.19	2521.39	0.64	88.60
34.0-35.0	42.18	857.84	1.48	30.14	81.0-82.0	17.23	2538.62	0.61	89.21
35.0-36.0	42.67	900.51	1.50	31.64	82.0-83.0	16.29	2554.92	0.57	89.78
36.0-37.0	43.12	943.63	1.52	33.16	83.0-84.0	15.39	2570.30	0.54	90.32
37.0-38.0	43.51	987.14	1.53	34.69	84.0-85.0	14.51	2584.81	0.51	90.83
38.0-39.0	43.84	1030.97	1.54	36.23	85.0-86.0	13.66	2598.47	0.48	91.31
39.0-40.0	44.11	1075.08	1.55	37.78	86.0-87.0	12.85	2611.32	0.45	91.76
40.0-41.0	44.32	1119.41	1.56	39.34	87.0-88.0	12.08	2623.40	0.42	92.19
41.0-42.0	44.48	1163.89	1.56	40.90	88.0-89.0	11.37	2634.77	0.40	92.59
42.0-43.0	44.59	1208.48	1.57	42.47	89.0-90.0	10.70	2645.48	0.38	92.96
43.0-44.0	44.64	1253.13	1.57	44.04	90.0-91.0	10.08	2655.56	0.35	93.32
44.0-45.0	44.64	1297.76	1.57	45.60	91.0-92.0	9.50	2665.06	0.33	93.65
45.0-46.0	44.57	1342.33	1.57	47.17	92.0-93.0	8.93	2673.99	0.31	93.97
46.0-47.0	44.45	1386.78	1.56	48.73	93.0-94.0	8.39	2682.39	0.29	94.26

IES Indoor Report
Photometric Filename:HCP-238401-5K.IES

HAVIT COMMERCIAL
http://www.havitcommercial.com.au
Tel：02 9381 8383
E-mail:sales@havitcommercial.com.au

Zonal Flux Tabulation - (Cont.)


Zone(γ)	Zone Flux (lm)	Sums Flux (lm)	Zone%Lamp	Sums%Lamp
94.0-95.0	7.87	2690.26	0.28	94.54
95.0-96.0	7.38	2697.64	0.26	94.80
96.0-97.0	6.92	2704.56	0.24	95.04
97.0-98.0	6.48	2711.04	0.23	95.27
98.0-99.0	6.07	2717.10	0.21	95.48
99.0-100.0	5.68	2722.78	0.20	95.68
100.0-101.0	5.31	2728.09	0.19	95.87
101.0-102.0	4.98	2733.07	0.17	96.04
102.0-103.0	4.66	2737.73	0.16	96.20
103.0-104.0	4.37	2742.10	0.15	96.36
104.0-105.0	4.09	2746.19	0.14	96.50
105.0-106.0	3.82	2750.01	0.13	96.64
106.0-107.0	3.56	2753.57	0.13	96.76
107.0-108.0	3.34	2756.90	0.12	96.88
108.0-109.0	3.14	2760.05	0.11	96.99
109.0-110.0	2.98	2763.03	0.10	97.09
110.0-111.0	2.82	2765.84	0.10	97.19
111.0-112.0	2.68	2768.52	0.09	97.29
112.0-113.0	2.55	2771.07	0.09	97.38
113.0-114.0	2.43	2773.49	0.09	97.46
114.0-115.0	2.32	2775.81	0.08	97.54
115.0-116.0	2.22	2778.04	0.08	97.62
116.0-117.0	2.13	2780.17	0.08	97.70
117.0-118.0	2.05	2782.22	0.07	97.77
118.0-119.0	1.98	2784.20	0.07	97.84
119.0-120.0	1.92	2786.12	0.07	97.91
120.0-121.0	1.86	2787.98	0.07	97.97
121.0-122.0	1.80	2789.78	0.06	98.03
122.0-123.0	1.75	2791.53	0.06	98.10
123.0-124.0	1.71	2793.24	0.06	98.16
124.0-125.0	1.67	2794.91	0.06	98.21
125.0-126.0	1.64	2796.55	0.06	98.27
126.0-127.0	1.61	2798.16	0.06	98.33
127.0-128.0	1.58	2799.75	0.06	98.38
128.0-129.0	1.56	2801.31	0.05	98.44
129.0-130.0	1.54	2802.84	0.05	98.49
130.0-131.0	1.51	2804.36	0.05	98.55
131.0-132.0	1.49	2805.85	0.05	98.60
132.0-133.0	1.47	2807.32	0.05	98.65
133.0-134.0	1.45	2808.77	0.05	98.70
134.0-135.0	1.43	2810.20	0.05	98.75
135.0-136.0	1.41	2811.61	0.05	98.80
136.0-137.0	1.38	2812.99	0.05	98.85
137.0-138.0	1.36	2814.35	0.05	98.90
138.0-139.0	1.34	2815.69	0.05	98.94
139.0-140.0	1.32	2817.01	0.05	98.99
140.0-141.0	1.29	2818.30	0.05	99.04
141.0-142.0	1.27	2819.57	0.04	99.08
142.0-143.0	1.25	2820.82	0.04	99.12
143.0-144.0	1.22	2822.04	0.04	99.17
144.0-145.0	1.20	2823.24	0.04	99.21
145.0-146.0	1.17	2824.42	0.04	99.25
146.0-147.0	1.15	2825.56	0.04	99.29
147.0-148.0	1.12	2826.69	0.04	99.33
148.0-149.0	1.09	2827.78	0.04	99.37
149.0-150.0	1.07	2828.85	0.04	99.41
150.0-151.0	1.04	2829.89	0.04	99.44
151.0-152.0	1.01	2830.90	0.04	99.48
152.0-153.0	0.98	2831.88	0.03	99.51
153.0-154.0	0.95	2832.83	0.03	99.55
154.0-155.0	0.92	2833.76	0.03	99.58
155.0-156.0	0.90	2834.65	0.03	99.61
156.0-157.0	0.87	2835.52	0.03	99.64
157.0-158.0	0.84	2836.35	0.03	99.67
158.0-159.0	0.80	2837.16	0.03	99.70
159.0-160.0	0.77	2837.93	0.03	99.73
160.0-161.0	0.74	2838.67	0.03	99.75
161.0-162.0	0.70	2839.37	0.02	99.78
162.0-163.0	0.67	2840.04	0.02	99.80
163.0-164.0	0.63	2840.67	0.02	99.82
164.0-165.0	0.60	2841.27	0.02	99.84
165.0-166.0	0.56	2841.84	0.02	99.86
166.0-167.0	0.53	2842.37	0.02	99.88
167.0-168.0	0.49	2842.86	0.02	99.90
168.0-169.0	0.45	2843.31	0.02	99.91
169.0-170.0	0.42	2843.73	0.01	99.93
170.0-171.0	0.38	2844.10	0.01	99.94
171.0-172.0	0.34	2844.44	0.01	99.95
172.0-173.0	0.30	2844.74	0.01	99.97
173.0-174.0	0.26	2845.01	0.01	99.97
174.0-175.0	0.22	2845.23	0.01	99.98
175.0-176.0	0.18	2845.41	0.01	99.99
176.0-177.0	0.14	2845.55	0.00	99.99
177.0-178.0	0.10	2845.65	0.00	100.00
178.0-179.0	0.06	2845.71	0.00	100.00
179.0-180.0	0.02	2845.73	0.00	100.00

IES Indoor Report
Photometric Filename:HCP-238401-5K.IES

HAVIT COMMERCIAL
http://www.havitcommercial.com.au
Tel：02 9381 8383
E-mail:sales@havitcommercial.com.au

Rectangle ISO Lighting Intensity Diagram

Lum.Name: HCP-238401-5K	Lum.Catelog:	Test ID: 001
Lamp Name:	Lamp Catelog: LED	Test Lab: Volnic IES
Manufacture:	Test Machine:GON-2000	Test Date: 2019/04/12



Maximum Light Intensity(cd): 847.09
Maximum Cand.@Angle: H=1.0°,V=0.0°


IES Indoor Report
Photometric Filename:HCP-238401-5K.IES

HAVIT COMMERCIAL
http://www.havitcommercial.com.au
Tel：02 9381 8383
E-mail:sales@havitcommercial.com.au

Plane ISO-Illuminance Diagram

Lum.Name: HCP-238401-5K	Lum.Catelog:	Test ID: 001
Lamp Name:	Lamp Catelog: LED	Test Lab: Volnic IES
Manufacture:	Test Machine:GON-2000	Test Date: 2019/04/12

Plane ISO-Illuminance Curve



Curves:
unit:lx
[EMax] =94.078
[EMax*90%]=84.670
[EMax*80%]=75.262
[EMax*70%]=65.854
[EMax*60%]=56.447
[EMax*50%]=47.039
[EMax*40%]=37.631
[EMax*30%]=28.223
[EMax*20%]=18.816
[EMax*10%]=9.408

Working Plane Luminaire Mounting Height(m): 3.00
Working Plane Maximum Illuminance(lx): 94.08
Working Plane Maximum Illuminance Position(d/h):H0.0 V0.0


IES Indoor Report
Photometric Filename:HCP-238401-5K.IES

HAVIT COMMERCIAL
http://www.havitcommercial.com.au
Tel：02 9381 8383
E-mail:sales@havitcommercial.com.au

3D Plane ISO Illuminance Diagram

Lum.Name: HCP-238401-5K	Lum.Catelog:	Test ID: 001
Lamp Name:	Lamp Catelog: LED	Test Lab: Volnic IES
Manufacture:	Test Machine:GON-2000	Test Date: 2019/04/12

3D Plane Illuminance Modal



Curves: 3D Model 90% 80% 70% 60% 50% 40% 30% 20% 10%
View Angles(deg): 0 Height(m): 3.0 Distance(m): 10.0


IES Indoor Report
Photometric Filename:HCP-238401-5K.IES

HAVIT COMMERCIAL
http://www.havitcommercial.com.au
Tel：02 9381 8383
E-mail:sales@havitcommercial.com.au

Space ISO Illuminance Diagram

Lum.Name: HCP-238401-5K	Lum.Catelog:	Test ID: 001
Lamp Name:	Lamp Catelog: LED	Test Lab: Volnic IES
Manufacture:	Test Machine:GON-2000	Test Date: 2019/04/12

Space ISO Illuminance Curve



Curves:
[Unit: lx]
[EMax] =846.698
[EMax*90%]=762.028
[EMax*80%]=677.358
[EMax*70%]=592.689
[EMax*60%]=508.019
[EMax*50%]=423.349
[EMax*40%]=338.679
[EMax*30%]=254.009
[EMax*20%]=169.340
[EMax*10%]=84.670

Space Plane Maximum Illuminance and @Angle:846.70lx,1.0deg
Plane Maximum Lighting Intensity and @Angle:847.085cd,0eg


IES Indoor Report
Photometric Filename:HCP-238401-5K.IES

HAVIT COMMERCIAL
http://www.havitcommercial.com.au
Tel：02 9381 8383
E-mail:sales@havitcommercial.com.au

Illuminance-Distance Diagram

Lum.Name: HCP-238401-5K	Lum.Catelog:	Test ID: 001
Lamp Name:	Lamp Catelog: LED	Test Lab: Volnic IES
Manufacture:	Test Machine:GON-2000	Test Date: 2019/04/12

Illuminance-Distance Curve



Beam Angle:119.6

IES Indoor Report
Photometric Filename:HCP-238401-5K.IES

HAVIT COMMERCIAL
http://www.havitcommercial.com.au
Tel：02 9381 8383
E-mail:sales@havitcommercial.com.au

Indoor Luminance Limiting Curves

Lum.Name: HCP-238401-5K	Lum.Catelog:	Test ID: 001
Lamp Name:	Lamp Catelog: LED	Test Lab: Volnic IES
Manufacture:	Test Machine:GON-2000	Test Date: 2019/04/12


Glare Grade Table

GI	Quality	Using Illuminace							
1.15	A	2000	1000	500	<=300				
1.5	B		2000	1000	500	<=300			
1.85	C			2000	1000	500	<=300		
2.2	D				2000	1000	500	<=300	
2.55	E	a				2000	1000	500	<=300
			b	c	d	e	f	g	h

Luminance Table

Gama(deg)	45	50	55	60	65	70	75	80	85
C0	9285	9282	9334	9514	9891	10615	12010	15105	24868
C90	9087	9008	8888	8713	8456	8079	7545	6829	6484

Luminance Limiting Curve




Luminous Size: Length(m)=1.200 Width(m)=0.075 Height(m)=0.000 Area(m^2)=0.090000
Luminous Type: Without Luminous Side
Luminous Curves: C0-C180 Color: C90-C270 Color:

IES Indoor Report
Photometric Filename:HCP-238401-5K.IES

HAVIT COMMERCIAL
http://www.havitcommercial.com.au
Tel：02 9381 8383
E-mail:sales@havitcommercial.com.au

Indoor Budgetary Estimate Table

Lum.Name: HCP-238401-5K	Lum.Catelog:	Test ID: 001
Lamp Name:	Lamp Catelog: LED	Test Lab: Volnic IES
Manufacture:	Test Machine:GON-2000	Test Date: 2019/04/12



Parameters1: Rhocc = 0.7 Rhow = 0.5 Rhofc = 0.2 LLF = 0.8
Parameters2: Rhocc = 0.5 Rhow = 0.3 Rhofc = 0.2 LLF = 0.8
Average Illuminance(lx): 100 Cavity Height: H1(m) = 2

HAVIT COMMERCIAL
http://www.havitcommercial.com.au
Tel：02 9381 8383
E-mail:sales@havitcommercial.com.au

Indoor Coefficient of Utilization Table

Lum.Name: HCP-238401-5K	Lum.Catelog:	Test ID: 001
Lamp Name:	Lamp Catelog: LED	Test Lab: Volnic IES
Manufacture:	Test Machine:GON-2000	Test Date: 2019/04/12

Coefficients of Utilization - Zonal Cavity Method																		
Coef.	Effective Floor Cavity Reflectance RFC=0.20																	
RhoCC(%)	80				70				50			30			10			0
RhoW(%)	70	50	30	10	70	50	30	10	50	30	10	50	30	10	50	30	10	0
RCR	Coefficient of Utilization(%)																	
0	117	117	117	117	114	114	114	114	107	107	107	101	101	101	96	96	96	93
1	106	100	95	91	102	97	93	89	91	88	85	86	83	81	82	79	77	74
2	95	86	79	73	92	84	77	71	79	74	69	75	70	66	71	67	63	61
3	87	75	67	60	83	73	65	59	69	63	57	66	60	55	62	57	53	51
4	79	67	57	50	76	65	56	50	61	54	48	58	52	47	55	50	45	43
5	73	59	50	43	70	58	49	43	55	47	41	52	46	40	50	44	39	37
6	67	53	44	37	65	52	43	37	49	42	36	47	40	35	45	39	34	32
7	62	48	39	33	60	47	39	33	45	37	32	43	36	31	41	35	30	28
8	58	44	35	29	56	43	35	29	41	34	28	39	33	28	38	32	27	25
9	54	40	32	26	52	39	31	26	38	31	26	36	30	25	35	29	25	23
10	50	37	29	24	49	36	29	24	35	28	23	33	27	23	32	26	22	20

HAVIT COMMERCIAL
http://www.havitcommercial.com.au
Tel：02 9381 8383
E-mail:sales@havitcommercial.com.au

IES Indoor Report
Photometric Filename:HCP-238401-5K.IES

Unified Glare Rating Table

Lum.Name: HCP-238401-5K	Lum.Catelog:	Test ID: 001
Lamp Name:	Lamp Catelog: LED	Test Lab: Volnic IES
Manufacture:	Test Machine:GON-2000	Test Date: 2019/04/12

Unified Glare Rating Table

Ceiling RCC		0.70	0.70	0.50	0.50	0.30	0.70	0.70	0.50	0.50	0.30
Wall RW		0.50	0.30	0.50	0.30	0.30	0.50	0.30	0.50	0.30	0.30
Floor RFC		0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Room Size		Vewed crosswise					Vewed endwise				
X=2H	Y=2H	19.6	21.1	20.1	21.6	22.1	19.3	20.9	19.8	21.3	21.8
	Y=3H	21.8	23.1	22.2	23.6	24.1	21.0	22.4	21.5	22.9	23.4
	Y=4H	22.9	24.2	23.4	24.7	25.2	21.8	23.1	22.3	23.6	24.1
	Y=6H	24.1	25.4	24.6	25.9	26.4	22.3	23.5	22.8	24.0	24.6
	Y=8H	24.8	26.0	25.3	26.5	27.1	22.5	23.7	23.0	24.2	24.8
	Y=12H	25.6	26.7	26.1	27.2	27.8	22.6	23.8	23.2	24.3	24.9
X=4H	Y=2H	20.3	21.7	20.9	22.2	22.7	20.2	21.5	20.7	22.0	22.5
	Y=3H	22.7	23.9	23.2	24.4	24.9	22.1	23.2	22.6	23.8	24.3
	Y=4H	24.0	25.1	24.6	25.6	26.2	23.0	24.0	23.5	24.5	25.1
	Y=6H	25.5	26.4	26.0	26.9	27.5	23.7	24.6	24.2	25.2	25.8
	Y=8H	26.2	27.1	26.8	27.6	28.3	24.0	24.8	24.5	25.4	26.0
	Y=12H	27.1	27.9	27.7	28.5	29.1	24.2	25.0	24.8	25.6	26.2
X=8H	Y=4H	24.4	25.3	25.0	25.8	26.5	23.6	24.4	24.1	25.0	25.6
	Y=6H	26.1	26.8	26.7	27.4	28.2	24.5	25.2	25.1	25.8	26.6
	Y=8H	27.0	27.7	27.6	28.3	28.9	24.9	25.6	25.5	26.2	26.8
	Y=12H	28.1	28.7	28.8	29.3	30.0	25.3	25.9	25.9	26.5	27.2
X=12H	Y=4H	24.5	25.3	25.1	25.8	26.5	23.7	24.5	24.3	25.1	25.7
	Y=6H	26.2	26.9	26.8	27.4	28.1	24.8	25.4	25.4	26.0	26.7
	Y=8H	27.3	27.8	27.9	28.4	29.1	25.3	25.9	25.9	26.5	27.2
Variations with the objerver position at spacings											
S=1.0H		0.1/-0.1					0.4/-0.4				
S=1.5H		0.2/-0.2					0.6/-0.7				
S=2.0H		0.1/-0.2					0.7/-0.9				
Reduced UGR Table:											
Nordic Standard Table:		BK0					BK0				
Correction Value		4.8					3.6				

o the CIE Pub.117,data has been corrected,refers to the lamp's lumens 8.2flm.

IES Indoor Report
Photometric Filename:HCP-238401-5K.IES

HAVIT COMMERCIAL
http://www.havitcommercial.com.au
Tel：02 9381 8383
E-mail:sales@havitcommercial.com.au

Candela Tabulation

V/H	C0.0	C30.0	C60.0	C90.0	C120.0	C150.0	C180.0	C210.0	C240.0	C270.0	C300.0	C330.0
Y 0.0	836.92	836.92	836.92	836.92	836.92	836.92	836.92	836.92	836.92	836.92	836.92	836.92
Y 1.0	847.09	838.58	834.81	831.62	829.93	829.05	846.70	838.17	834.62	831.43	829.71	828.57
Y 2.0	847.02	838.33	834.49	831.40	829.73	828.82	846.36	837.56	833.77	830.96	829.00	827.91
Y 3.0	846.46	837.82	834.00	831.03	829.12	828.46	845.52	836.64	833.35	830.03	828.24	826.99
Y 4.0	845.46	837.13	833.06	830.17	828.18	827.71	844.32	835.51	832.36	828.99	827.19	825.78
Y 5.0	844.56	836.19	832.12	829.08	827.22	826.57	842.87	834.22	830.79	827.70	825.89	824.43
Y 6.0	843.14	834.62	830.47	827.89	826.07	825.36	841.23	832.56	829.17	825.77	824.31	822.69
Y 7.0	841.57	833.15	829.04	826.21	824.34	823.73	839.46	830.61	827.55	823.82	822.13	820.75
Y 8.0	839.61	831.25	827.09	824.34	822.60	822.03	837.31	828.30	825.22	821.77	820.20	818.49
Y 9.0	837.42	829.27	824.68	822.41	820.30	820.05	834.57	825.80	822.66	819.20	817.69	816.01
Y 10.0	834.87	826.98	822.52	819.93	817.96	817.74	832.03	823.04	820.27	816.56	815.04	813.15
Y 11.0	832.35	824.22	819.84	817.24	815.28	815.05	829.10	820.21	817.13	813.49	812.08	810.26
Y 12.0	829.21	821.57	816.56	814.39	812.26	812.10	825.72	816.90	813.82	810.36	808.86	806.76
Y 13.0	826.02	818.34	813.62	811.37	809.07	809.12	822.14	813.44	810.45	806.84	805.30	803.29
Y 14.0	822.41	814.99	810.25	807.86	805.58	805.73	818.46	809.46	806.86	802.93	801.61	799.40
Y 15.0	818.68	810.99	806.28	804.22	802.06	802.13	814.23	805.46	802.75	799.00	797.66	795.39
Y 16.0	814.70	806.95	802.28	800.18	797.91	798.19	809.93	801.22	798.61	794.85	793.35	790.99
Y 17.0	810.40	802.81	798.03	795.87	793.71	793.90	805.45	796.70	794.19	790.34	788.80	786.36
Y 18.0	805.79	798.34	793.62	791.29	789.37	789.58	800.41	791.69	789.60	785.50	784.20	781.55
Y 19.0	800.85	793.71	788.72	786.70	784.51	784.87	795.26	786.72	784.55	780.42	779.13	776.50
Y 20.0	795.71	788.68	783.71	781.81	779.53	779.97	790.18	781.43	779.38	775.14	774.07	771.18
Y 21.0	790.46	783.34	778.49	776.60	774.14	774.82	784.42	775.64	773.81	769.63	768.36	765.60
Y 22.0	784.76	777.85	772.70	771.01	768.73	769.19	778.43	769.59	768.15	763.90	762.37	759.72
Y 23.0	779.05	771.97	767.23	765.24	762.97	763.64	772.24	763.80	761.95	757.82	756.46	753.49
Y 24.0	772.80	766.14	761.09	759.35	757.04	757.60	765.85	757.37	755.66	751.47	750.10	747.15
Y 25.0	766.31	759.79	754.85	753.04	750.77	751.41	759.34	750.91	749.37	745.01	743.68	740.75
Y 26.0	759.71	753.33	748.39	746.47	744.29	744.88	752.42	744.07	742.58	738.23	737.04	733.80
Y 27.0	752.85	746.37	741.41	739.61	737.57	738.37	745.28	736.80	735.40	731.25	729.98	726.64
Y 28.0	745.63	739.62	734.42	732.71	730.55	731.19	737.91	729.48	728.27	723.89	722.72	719.53
Y 29.0	738.34	732.17	727.22	725.36	723.22	724.08	730.28	722.13	720.69	716.48	715.21	711.84
Y 30.0	730.70	724.76	719.81	718.09	715.89	716.84	722.05	714.18	712.98	708.71	707.50	704.12
Y 31.0	722.93	717.02	712.12	710.25	708.14	709.05	713.99	706.31	705.20	700.84	699.52	695.97
Y 32.0	714.84	708.96	703.95	702.47	700.26	701.10	705.77	698.12	697.18	692.77	691.31	687.82
Y 33.0	706.36	700.57	695.61	694.18	691.98	692.93	697.32	689.68	688.61	684.26	682.94	679.46
Y 34.0	697.98	692.16	687.32	685.84	683.46	684.63	688.54	680.71	680.02	675.53	674.27	670.63
Y 35.0	688.99	683.51	678.53	677.19	674.94	676.09	679.37	671.81	671.27	666.78	665.22	661.89
Y 36.0	680.21	674.79	669.57	668.06	666.05	667.22	670.29	662.74	662.07	657.66	656.21	652.71
Y 37.0	671.14	665.61	660.53	659.03	656.97	658.30	660.87	653.45	652.77	648.43	646.92	643.48
Y 38.0	661.49	656.27	651.16	649.89	647.65	648.95	651.31	643.84	643.49	638.77	637.39	634.00
Y 39.0	652.12	646.62	641.48	640.14	637.93	639.49	641.54	634.11	633.50	628.98	627.53	624.18
Y 40.0	642.09	636.82	631.72	630.24	628.34	629.72	631.50	624.08	623.55	618.89	617.48	614.26
Y 41.0	632.28	626.84	621.46	620.31	618.23	619.87	621.19	613.95	613.35	608.74	607.35	604.01
Y 42.0	622.04	616.63	611.44	610.23	608.25	609.80	610.81	603.68	602.80	598.41	596.95	593.96
Y 43.0	611.84	606.57	601.17	599.86	597.71	599.62	600.32	593.13	592.46	587.97	586.50	583.53
Y 44.0	601.46	596.05	590.43	589.24	587.07	589.11	589.71	582.53	581.72	577.20	575.63	573.10
Y 45.0	590.86	585.28	579.57	578.30	576.28	578.70	579.02	571.77	570.90	566.28	564.73	562.19
Y 46.0	580.22	574.45	568.49	567.24	565.42	567.70	568.05	560.83	559.77	554.81	553.55	551.32

HAVIT COMMERCIAL
http://www.havitcommercial.com.au
Tel：02 9381 8383
E-mail:sales@havitcommercial.com.au

Candela Tabulation - (Cont.)

V/H	C0.0	C30.0	C60.0	C90.0	C120.0	C150.0	C180.0	C210.0	C240.0	C270.0	C300.0	C330.0
Y 47.0	569.53	563.60	557.34	555.92	554.14	556.94	556.96	549.53	548.27	543.56	542.04	540.19
Y 48.0	558.77	552.51	545.98	544.51	542.92	545.93	546.04	538.47	536.72	532.16	530.61	529.14
Y 49.0	547.99	541.36	534.50	532.82	531.33	534.84	535.01	527.20	525.12	520.30	518.99	518.09
Y 50.0	536.98	529.98	522.63	521.12	519.65	523.62	523.93	515.81	513.22	508.37	507.27	506.92
Y 51.0	525.83	518.69	510.53	508.83	507.56	512.20	512.85	504.48	501.34	496.32	495.14	495.43
Y 52.0	514.72	507.29	498.58	496.50	495.56	500.81	501.70	492.81	488.87	483.89	482.96	484.09
Y 53.0	503.82	495.84	486.48	484.20	483.27	489.48	490.59	481.31	476.74	471.47	470.41	472.69
Y 54.0	492.76	484.30	474.02	471.58	471.07	478.05	479.41	469.75	464.20	458.96	457.92	461.09
Y 55.0	481.86	472.73	461.53	458.83	458.52	466.64	468.53	458.33	451.52	446.16	445.41	449.54
Y 56.0	470.94	461.42	448.58	445.79	445.77	455.36	457.76	446.86	438.90	433.14	432.78	438.18
Y 57.0	460.06	449.61	435.71	432.68	432.88	443.89	446.99	435.38	426.14	420.03	420.01	426.73
Y 58.0	449.32	437.96	422.84	419.13	419.93	432.50	436.10	424.00	412.90	406.53	406.85	415.23
Y 59.0	438.63	426.53	410.13	405.66	407.01	421.12	425.29	412.68	399.84	393.08	393.79	403.86
Y 60.0	428.13	415.24	396.86	392.08	394.08	410.07	414.66	401.44	386.73	379.47	380.63	392.74
Y 61.0	417.56	403.91	383.87	378.26	380.89	398.85	404.15	390.36	373.68	365.84	367.49	381.71
Y 62.0	407.05	392.74	370.68	364.37	367.77	387.93	393.70	379.37	360.49	352.11	354.34	370.78
Y 63.0	396.65	381.51	357.34	350.27	354.39	376.98	383.26	368.42	347.23	338.07	341.03	359.79
Y 64.0	386.25	370.65	344.09	335.95	341.42	365.99	372.89	357.35	333.97	323.60	327.71	349.02
Y 65.0	376.20	359.71	331.05	321.63	328.27	355.28	362.65	346.79	320.63	309.43	314.27	338.36
Y 66.0	366.33	349.06	317.87	307.32	315.28	344.80	352.65	336.33	307.64	295.26	301.39	327.78
Y 67.0	356.20	338.41	304.92	292.85	302.30	334.46	342.49	325.83	294.79	280.78	288.37	317.50
Y 68.0	346.16	328.05	291.88	278.19	289.52	324.08	332.82	315.50	281.92	266.42	275.46	307.15
Y 69.0	336.29	317.62	278.91	263.42	276.64	313.76	323.12	305.20	269.32	251.74	262.70	296.97
Y 70.0	326.76	307.10	266.23	248.70	264.15	303.57	313.31	295.18	256.66	237.08	249.94	286.88
Y 71.0	317.15	297.08	253.94	233.97	252.01	293.63	303.62	285.11	244.38	222.53	237.43	277.02
Y 72.0	307.59	287.22	241.89	219.45	240.03	283.78	294.24	275.30	232.38	207.95	225.15	267.23
Y 73.0	298.35	277.32	230.05	204.87	228.29	274.05	284.95	265.75	220.62	193.61	213.40	257.76
Y 74.0	289.07	267.67	218.28	190.32	216.67	264.59	275.86	256.30	209.20	179.03	201.90	248.29
Y 75.0	279.76	258.15	206.70	175.74	205.27	255.16	266.80	246.92	197.94	164.63	190.51	239.03
Y 76.0	270.85	248.73	195.57	161.26	194.30	245.84	257.85	237.61	186.90	150.38	179.36	229.93
Y 77.0	262.02	239.42	184.81	147.24	183.70	236.65	248.83	228.53	176.18	136.36	168.74	220.79
Y 78.0	253.21	230.48	174.57	133.37	173.46	227.93	240.21	219.65	165.85	122.63	158.17	212.12
Y 79.0	244.60	221.46	164.33	119.88	163.39	219.10	231.70	210.98	155.87	109.28	148.22	203.50
Y 80.0	236.07	212.69	154.46	106.72	153.64	210.52	223.19	202.45	146.19	96.27	138.54	194.91
Y 81.0	227.47	204.01	144.97	94.00	144.17	201.94	214.79	194.06	136.81	83.65	129.21	186.50
Y 82.0	219.18	195.44	135.85	81.90	135.18	193.58	206.60	185.76	127.75	71.75	120.17	178.24
Y 83.0	211.01	187.27	127.08	70.66	126.59	185.38	198.46	177.61	119.02	60.69	111.39	170.27
Y 84.0	202.90	179.13	118.80	60.35	118.35	177.43	190.41	169.67	110.56	50.38	103.11	162.39
Y 85.0	195.06	171.19	110.63	50.86	110.32	169.55	182.66	161.90	102.60	41.12	95.29	154.75
Y 86.0	187.19	163.37	102.76	42.51	102.61	161.93	175.03	154.29	95.01	33.10	87.81	147.31
Y 87.0	179.57	155.52	95.40	35.63	95.33	154.30	167.52	146.84	87.63	26.44	80.59	139.94
Y 88.0	172.00	148.12	88.38	30.35	88.44	146.98	160.05	139.59	80.70	21.43	73.82	132.77
Y 89.0	164.72	140.82	81.75	26.92	81.86	139.79	152.72	132.39	74.10	18.22	67.41	125.84
Y 90.0	157.43	133.72	75.63	24.68	75.82	132.82	145.63	125.49	67.90	16.50	61.41	119.01
Y 91.0	150.48	126.69	69.63	24.35	69.97	126.08	138.59	118.82	62.17	16.23	55.60	112.34
Y 92.0	143.45	119.99	63.94	24.18	64.42	119.44	131.77	112.27	56.65	16.15	50.53	105.83
Y 93.0	136.55	113.32	58.80	23.92	59.31	112.97	125.23	105.79	51.63	15.94	45.68	99.57

HAVIT COMMERCIAL
http://www.havitcommercial.com.au
Tel：02 9381 8383
E-mail:sales@havitcommercial.com.au

Candela Tabulation - (Cont.)

V/H	C0.0	C30.0	C60.0	C90.0	C120.0	C150.0	C180.0	C210.0	C240.0	C270.0	C300.0	C330.0
Y 94.0	129.87	106.87	54.01	23.76	54.58	106.67	118.68	99.50	46.78	15.85	41.10	93.56
Y 95.0	123.54	100.73	49.56	23.47	50.20	100.54	112.18	93.60	42.49	15.66	37.23	87.70
Y 96.0	117.26	94.87	45.72	23.32	46.38	94.75	105.92	87.88	38.64	15.57	33.56	82.02
Y 97.0	111.07	89.11	42.32	23.06	42.97	89.18	99.93	82.32	35.13	15.46	30.48	76.80
Y 98.0	104.96	83.67	39.15	22.91	39.81	83.73	94.30	77.13	32.08	15.32	27.78	71.66
Y 99.0	99.14	78.36	36.43	22.64	37.18	78.57	88.69	72.05	29.50	15.34	25.45	66.57
Y 100.0	93.61	73.32	33.94	22.50	34.69	73.49	83.27	67.01	27.08	15.31	23.32	61.97
Y 101.0	88.27	68.69	31.81	22.51	32.52	69.06	78.10	62.55	24.93	15.23	21.50	57.61
Y 102.0	83.21	64.29	29.99	22.28	30.64	64.70	73.12	58.43	23.07	15.25	20.00	53.68
Y 103.0	78.26	60.17	28.40	22.03	28.94	60.72	68.56	54.40	21.51	15.22	18.73	49.76
Y 104.0	73.54	56.27	26.97	21.89	27.55	56.73	64.10	50.76	20.24	15.18	17.62	46.30
Y 105.0	69.21	52.40	25.76	21.74	26.24	52.95	60.04	46.49	19.05	15.13	16.81	41.67
Y 106.0	64.96	48.18	24.72	21.47	25.16	48.49	55.95	42.65	18.09	15.08	16.07	38.21
Y 107.0	60.90	44.94	23.83	21.43	24.10	44.85	51.59	39.51	17.11	15.06	15.49	35.22
Y 108.0	56.23	41.79	23.22	21.24	23.49	41.87	47.61	36.76	16.53	15.04	15.12	32.75
Y 109.0	52.90	39.39	22.75	21.11	22.94	39.74	44.45	34.22	16.08	15.00	14.88	30.59
Y 110.0	49.51	37.12	22.32	20.96	22.33	37.51	41.28	32.01	15.64	15.06	14.78	28.53
Y 111.0	46.56	34.90	22.07	20.75	21.89	35.31	38.53	29.91	15.45	14.97	14.82	26.49
Y 112.0	43.71	32.68	21.90	20.74	21.61	33.15	36.03	28.11	15.25	15.07	14.84	24.73
Y 113.0	41.10	30.88	21.70	20.57	21.49	31.35	33.76	26.35	15.10	15.11	14.90	23.03
Y 114.0	38.71	29.24	21.62	20.41	21.35	29.63	31.42	24.73	15.01	15.11	14.94	21.78
Y 115.0	36.39	27.77	21.46	20.37	21.18	28.16	29.40	23.43	15.13	15.22	14.88	20.64
Y 116.0	34.22	26.41	21.28	20.27	20.99	26.99	27.63	22.25	15.01	15.39	14.95	19.63
Y 117.0	32.25	25.16	21.16	20.19	20.93	25.91	25.91	21.26	15.05	15.51	14.95	18.72
Y 118.0	30.51	24.15	21.07	20.09	20.76	24.75	24.31	20.34	15.18	15.47	14.99	17.96
Y 119.0	29.08	23.24	20.96	20.07	20.60	23.86	22.95	19.60	15.16	15.65	15.00	17.24
Y 120.0	27.61	22.53	20.85	20.11	20.60	23.15	21.79	18.84	15.26	15.59	15.07	16.86
Y 121.0	26.32	21.95	20.77	19.85	20.49	22.48	20.86	18.27	15.39	15.56	15.13	16.43
Y 122.0	25.16	21.37	20.63	19.80	20.36	22.03	19.88	17.66	15.45	15.65	15.07	16.10
Y 123.0	24.29	21.00	20.45	19.71	20.25	21.35	19.16	17.27	15.46	15.44	15.14	16.06
Y 124.0	23.39	20.73	20.35	19.71	20.14	20.87	18.55	16.91	15.54	15.55	15.20	16.06
Y 125.0	22.76	20.56	20.29	19.55	20.08	20.59	17.91	16.70	15.68	15.68	15.26	16.06
Y 126.0	22.27	20.44	20.21	19.55	20.04	20.42	17.44	16.63	15.71	15.62	15.28	16.05
Y 127.0	21.90	20.48	20.10	19.45	19.98	20.30	17.04	16.56	15.80	15.70	15.40	16.08
Y 128.0	21.58	20.41	20.06	19.43	19.83	20.13	16.72	16.61	15.74	15.79	15.55	16.11
Y 129.0	21.51	20.40	19.98	19.35	19.89	20.08	16.58	16.72	15.83	15.82	15.66	16.21
Y 130.0	21.46	20.31	19.90	19.31	19.70	20.16	16.50	16.85	15.93	15.92	15.70	16.23
Y 131.0	21.33	20.28	19.84	19.31	19.71	20.14	16.55	16.81	15.99	16.00	15.80	16.25
Y 132.0	21.17	20.17	19.83	19.38	19.67	20.12	16.63	16.79	16.12	16.11	15.90	16.33
Y 133.0	21.11	20.11	19.84	19.21	19.68	20.02	16.63	16.94	16.23	16.16	15.88	16.36
Y 134.0	21.09	20.11	19.86	19.23	19.60	20.03	16.73	17.09	16.43	16.28	16.06	16.40
Y 135.0	21.13	20.12	19.85	19.28	19.66	20.02	16.85	17.07	16.52	16.31	16.21	16.54
Y 136.0	21.03	20.08	19.80	19.31	19.58	19.96	16.97	17.11	16.67	16.48	16.26	16.61
Y 137.0	20.97	20.08	19.70	19.19	19.67	19.92	16.95	17.30	16.74	16.55	16.39	16.71
Y 138.0	20.93	20.01	19.67	19.31	19.74	19.84	17.09	17.30	16.96	16.69	16.64	16.82
Y 139.0	20.83	19.98	19.73	19.33	19.82	19.89	17.24	17.41	17.03	16.84	16.86	16.94
Y 140.0	20.81	19.92	19.74	19.35	19.79	19.85	17.32	17.34	17.14	16.89	17.02	17.04

HAVIT COMMERCIAL
http://www.havitcommercial.com.au
Tel：02 9381 8383
E-mail:sales@havitcommercial.com.au

Candela Tabulation - (Cont.)

V/H	C0.0	C30.0	C60.0	C90.0	C120.0	C150.0	C180.0	C210.0	C240.0	C270.0	C300.0	C330.0
Y 141.0	20.71	19.88	19.74	19.41	19.98	19.83	17.40	17.45	17.20	17.01	17.17	17.04
Y 142.0	20.70	19.96	19.83	19.35	20.00	19.85	17.50	17.65	17.33	17.10	17.39	17.12
Y 143.0	20.72	19.78	19.88	19.39	20.05	19.94	17.58	17.74	17.39	17.31	17.59	17.29
Y 144.0	20.57	19.83	20.00	19.48	20.17	19.84	17.65	17.81	17.50	17.38	17.73	17.37
Y 145.0	20.61	19.94	20.05	19.57	20.20	19.84	17.81	17.93	17.58	17.53	17.88	17.50
Y 146.0	20.62	19.93	20.04	19.66	20.24	19.84	17.83	18.05	17.76	17.64	18.03	17.54
Y 147.0	20.52	19.95	20.19	19.64	20.30	19.80	17.98	18.16	17.84	17.85	18.17	17.57
Y 148.0	20.58	19.94	20.20	19.71	20.29	19.83	18.05	18.27	18.13	17.95	18.14	17.74
Y 149.0	20.65	19.94	20.23	19.78	20.38	19.79	18.18	18.34	18.28	18.09	18.24	17.87
Y 150.0	20.70	19.93	20.27	19.77	20.25	19.83	18.28	18.42	18.45	18.10	18.30	18.03
Y 151.0	20.72	19.97	20.35	19.85	20.32	19.82	18.41	18.60	18.67	18.31	18.35	18.11
Y 152.0	20.60	20.02	20.42	19.90	20.24	19.91	18.52	18.71	18.86	18.39	18.54	18.25
Y 153.0	20.69	20.05	20.44	19.93	20.20	19.99	18.60	18.81	18.90	18.56	18.58	18.31
Y 154.0	20.64	20.20	20.51	19.98	20.23	20.02	18.72	18.91	19.09	18.66	18.70	18.46
Y 155.0	20.71	20.35	20.60	20.07	20.36	20.08	18.89	18.99	19.28	18.92	18.88	18.66
Y 156.0	20.76	20.41	20.94	20.11	20.41	20.18	18.95	19.14	19.42	19.00	19.00	18.80
Y 157.0	20.88	20.49	21.04	20.17	20.40	20.13	19.07	19.30	19.54	19.20	19.18	18.94
Y 158.0	20.86	20.45	21.07	20.24	20.48	20.21	19.21	19.43	19.73	19.26	19.33	19.04
Y 159.0	20.92	20.56	21.07	20.36	20.59	20.32	19.32	19.47	19.76	19.34	19.51	19.12
Y 160.0	20.97	20.59	21.02	20.40	20.68	20.38	19.46	19.62	19.78	19.39	19.59	19.30
Y 161.0	20.89	20.79	21.06	20.46	20.69	20.38	19.65	19.71	19.89	19.56	19.82	19.47
Y 162.0	20.96	20.77	20.99	20.52	20.74	20.43	19.77	19.78	19.96	19.71	19.80	19.59
Y 163.0	21.03	20.85	20.96	20.54	20.80	20.43	19.83	19.89	20.08	19.84	19.89	19.71
Y 164.0	21.16	20.91	21.01	20.69	20.97	20.47	20.10	19.94	20.08	20.05	19.87	19.76
Y 165.0	21.20	20.98	21.03	20.70	20.96	20.53	20.23	20.13	20.25	20.13	20.01	19.93
Y 166.0	21.29	21.04	21.23	20.80	21.11	20.56	20.28	20.13	20.42	20.24	20.24	20.02
Y 167.0	21.30	21.12	21.21	20.83	21.10	20.60	20.41	20.26	20.53	20.28	20.25	20.07
Y 168.0	21.35	21.10	21.25	20.85	21.05	20.67	20.54	20.41	20.70	20.44	20.38	20.09
Y 169.0	21.48	21.15	21.23	20.98	21.15	20.74	20.65	20.42	20.70	20.60	20.38	20.22
Y 170.0	21.41	21.21	21.23	20.96	21.20	20.70	20.80	20.57	20.75	20.58	20.47	20.38
Y 171.0	21.52	21.21	21.24	21.04	21.24	20.68	20.86	20.64	20.75	20.75	20.44	20.53
Y 172.0	21.62	21.28	21.23	21.01	21.26	20.76	20.98	20.77	20.75	20.86	20.48	20.55
Y 173.0	21.63	21.23	21.20	21.04	21.23	20.86	21.04	20.87	20.96	20.92	20.56	20.64
Y 174.0	21.60	21.27	21.20	21.02	21.30	20.94	21.21	20.94	20.94	20.95	20.69	20.68
Y 175.0	21.67	21.36	21.22	21.19	21.23	20.97	21.27	21.03	21.04	21.08	20.73	20.77
Y 176.0	21.66	21.30	21.27	21.10	21.12	20.95	21.39	21.09	21.13	21.10	20.85	20.78
Y 177.0	21.65	21.31	21.17	21.14	21.19	20.99	21.41	21.24	21.17	21.19	20.91	20.77
Y 178.0	21.67	21.34	21.28	21.13	21.18	20.97	21.51	21.24	21.22	21.26	21.04	20.95
Y 179.0	21.68	21.35	21.26	21.22	21.03	20.98	21.61	21.10	21.22	21.28	21.00	20.91
Y 180.0	21.28	21.28	21.28	21.28	21.28	21.28	21.28	21.28	21.28	21.28	21.28	21.28